



LW3598



crochet

Designed by Nirmal Kaur Khalsa

What you will need:

RED HEART® Super Tweed®:
3 (3, 4, 4) skeins 7803 Blue Bayou.
Note: 2 (2, 3, 3) balls are needed for sweater only. 1 ball is needed for leg warmers only.

Susan Bates® Crochet Hook:
5.0mm [US H-8], 5.5mm [US I-9] and afghan crochet hook 5.5mm [US I-9]

Four 1¹/₁₆" (1.8 cm) buttons,
Stitch markers
Yarn needle

GAUGE: With larger hook, 13 sts and 11 rows in hdc or cable pattern = 4" (10cm). **CHECK YOUR GAUGE.** Use any size needles/hook to obtain the gauge given.

Buy Yarn



RED HEART® Super Tweed®, Art. E779, available in tweed 5 oz (141g), 266 yd (243m) skeins



Cool Cables Sweater & Leg Warmers

Fashionable girls will love wearing a hand-crocheted sweater and leggings made just for them! This cute cardigan is double breasted and cabled for a stylish look.

For knit version, see LW3597.

Directions are for size child's 4. Changes for sizes 6, 8, 10 are in parentheses.

To Fit Chest: 23 (25, 26½, 28)"

Finished Chest: 27½ (29½, 31½, 33)" (70 [75, 80, 84] cm)

Finished Length: 13½ (15, 17, 19)" (34.4 [38, 43, 48.5] cm)

Legging Length: 10½ (12½, 14¼, 16½)" (26.5 [31.5, 36, 42] cm)

NOTE

On the leggings it's helpful to use 2 different color st markers to indicate the ribbing areas and hook size changes. On the sweater it's helpful to mark the first and last st of each Cable Pattern section.

Move markers up as work progresses.

Size 4 only: When a post st falls at the beginning edge of a front or back section, ch 1 and then work the post st. When a post st falls at the end of a front or back section, before the last yo insert hook through top of last hdc of section, yo and pull yarn through all loops.

Special Abbreviations

Front Post Treble (FPtr) = Yarn over (twice), insert hook from front to back to front again around the post of indicated st (usually a previous post st), [yarn over, draw through 2 loops on hook] 3 times.

hdc2tog: [Yarn over, insert hook in next st, yarn over, draw yarn through st] twice, yarn over, draw yarn through all loops on hook.

Tunisian simple stitch (Tss): Each row consists of a forward row and a return row.

Row 1: Forward: *Insert hook under next vertical bar, yarn over, draw up a loop; repeat from * across, insert hook in 2 vertical bars of last st, yarn over, draw up a loop.

Return: Yarn over, draw through 1 loop on hook, *yarn over, draw through 2 loops on hook; repeat from * across, 1 loop remains and counts as first st of next row.

Repeat Row 1 for pattern.

Bind Off Row: *Insert hook under next vertical bar, yarn over, draw yarn through st and loop on hook; repeat from * across, insert hook in 2 vertical bars of last st, yarn over, draw yarn through st and loop on hook. Fasten off.

Cable Pattern (also see Cable Chart)

Cable Row 1: hdc in each of next 2 sts, *skip next 2 sts, FPtr around the post of each of next 2 sts in 2 rows below, working in front of FPtr just made, FPtr around the post of each of last 2 skipped sts 2 rows below*, hdc in each of next 5 sts; repeat from * to * once, hdc in each of next 2 sts.

Cable Rows 2, 4, 6, 8: Hdc in each st across.

Cable Row 3: Hdc in next st, *FPtr around the post of next 2 FPtr, 2 rows below (which may be hidden under the FPtr crossing of Row 1), hdc in each of next 2 sts, FPtr around the post of each of next 2 FPtr, 2 rows below*, hdc in each of next 3 sts; repeat from * to * once, hdc in next st.

Cable Row 5: *FPtr around the post of next 2 FPtr, 2 rows below, hdc in each of next 4 sts, FPtr around the post of next 2 FPtr, 2 rows below*, hdc in next st; repeat from * to * once.

Cable Row 7: Hdc in next st, *FPtr around next 2 FPtr, 2 rows below, hdc in each of next 2 sts, FPtr around the post of next 2 FPtr, 2 rows below*, hdc in each of next 3 sts; repeat from * to * once, hdc in next st.

Continued...



Please Note: Print this pattern using Landscape Orientation.

Find more ideas & inspiration: www.redheart.com and www.crochettoday.com

©2013 Coats & Clark

RedHeart.com

Page 1 of 3

SWEATER

Bottom Ribbing

With larger hook ch 8 leaving a sewing

length. **Row 1:** Working in blo of ch sts, sc in 2nd ch from hook and in each ch across; turn – 7 sts.

Row 2: Ch 1, sc in blo of each st across; turn. Repeat Row 2 until ribbing measures 24 (26, 27½, 29)” (61 [66, 68.5, 73.5] cm) from beginning. Fasten off, leaving a sewing length.

Left Front Panel Extension

With larger hook ch 12 (12, 14, 14).

Row 1: Working in blo of ch sts, sc in 2nd ch from hook and in each ch across; turn – 11 (11, 13, 13) sts; turn.

Row 2: Ch 3 (counts as dc here and throughout), working in blo, dc in next 9 (9, 10, 10) sts, hdc in last st; turn.

Row 3: Ch 1, working in flo, slip st in each st across; turn – 11 (11, 13, 13) slip sts.

Rows 4-5: Repeat Rows 2-3 once. Fasten off.

Right Front Panel Extension

With larger hook, ch 12 (12, 14, 14).

Row 1: Working in blo of ch sts, sc in 2nd ch from hook and in each ch across; turn – 11 (11, 13, 13) sts.

Row 2: Ch 3, working in blo, dc in each st across; turn – 11 (11, 13, 13) dc.

Row 3: Ch 1, working in flo, slip st in each st across; turn – 11 (11, 13, 13) slip sts.

Rows 4-5: Repeat Rows 2-3 once. Do not fasten off; continue to Body, Row 1.

Body

Row 1 (right side): Working over Right Front Panel Extension, ch 3, dc in blo of next 10 (10, 12, 12) sts, working across long edge of Bottom Ribbing, work 78 (85, 90, 95) hdc evenly spaced across, working across Left

Front Panel Extension, dc in blo of next 10 (10, 12, 12) sts, hdc in blo of last st; turn – 100 (107, 116, 121) sts.

Row 2: Ch 1, slip st in flo of first 11 (11, 13, 13) sts, hdc in each of next 78 (85, 90, 95) sts, slip st in flo of last 11 sts; turn – 100 (107, 116, 121) sts.

Begin Cable Pattern

Row 3: Ch 3, dc in blo of next 10 (10, 12, 12), hdc in next 0 (1, 1, 2) sts, work Cable Row 1, hdc in each of next 1 (3, 4, 5) sts, work Cable Row 1, hdc in each of next 8 (9, 12, 13) sts, work Cable Row 1, hdc in each of next 1 (3, 4, 5) sts, work Cable Row 1, hdc in next 0 (1, 1, 2) sts, dc in blo of next 10 (10, 12, 12) sts, hdc in blo of next st; turn – 100 (107, 116, 121) sts.

Row 4: Repeat Row 2.

Row 5: Ch 3, dc in blo of next 10 (10, 12, 12), hdc in next 0 (1, 1, 2) sts, work Cable Row 3, hdc in each of next 1 (3, 4, 5) sts, work Cable Row 3, hdc in each of next 8 (9, 12, 13) sts, work Cable Row 3, hdc in each of next 1 (3, 4, 5) sts, work Cable Row 3, hdc in next 0 (1, 1, 2) sts, dc in blo of next 10 (10, 12, 12) sts, hdc in blo of next st; turn.

Row 6: Repeat Row 2.

Row 7: Ch 3, dc in blo of next 10 (10, 12, 12), hdc in next 0 (1, 1, 2) sts, work Cable Row 5, hdc in each of next 1 (3, 4, 5) sts, work Cable Row 5, hdc in each of next 8 (9, 12, 13) sts, work Cable Row 5, hdc in each of next 1 (3, 4, 6) sts, work Cable Row 5, hdc in next 0 (1, 1, 2) sts, dc in blo of next 10 (10, 12, 12) sts, hdc in blo of next st; turn.

Row 8: Repeat Row 2.

Row 9: Ch 3, dc in blo of next 10 (10, 12, 12), hdc in next 0 (1, 1, 2) sts, work Cable Row 7, hdc in each of next 1 (3, 4, 5) sts, work Cable Row 7, hdc in each of next 8 (9, 12, 13) sts, work Cable Row 7, hdc in each of next 1 (3, 4, 5) sts, work Cable Row 7, hdc in next 0 (1, 1, 2)

sts, dc in blo of next 10 (10, 12, 12) sts, hdc in blo of next st; turn.

Row 10: Repeat Row 2.

Repeat Rows 3-10 until Body measures 7½ (9, 10, 12)” (19 [23, 25.5, 30.5] cm) from beginning, ending with a wrong side row.

DIVIDE FOR FRONTS AND BACK

RIGHT FRONT

Row 1 (right side): Ch 3, dc in blo of next 10 (10, 12, 12) sts, hdc in next 0 (1, 1, 2) st, working in established pattern, work next Cable Row, hdc in next 0 (1, 2, 3) sts; turn, leaving remaining sts unworked – 28 (30, 33, 34) sts.

Row 2 (buttonhole row 1) (wrong side): Ch 2 (counts as hdc here and throughout), hdc in next 16 (18, 19, 20) sts, in panel work: slip st in flo of next 2 sts, ch 2, skip next 2 sts, slip st in flo of next 3 (3, 5, 5) sts, ch 2, skip next 2 sts, slip st in flo of next 2 sts; turn.

Row 3 (buttonhole row 2): Ch 3, dc in blo of each slip st and ch across; continue in pattern across working established cable row.

Rows 4-5 (5, 7, 7): Work even in established pattern.

Rows 6-7 (6-7, 8-9, 8-9): Repeat Rows 2-3 (Buttonhole Rows 1-2).

Rows 8-9 (8-9, 10-11, 10-11): Work even in established pattern.

Shape Neck

Next Row: Ch 2 (counts as hdc here and throughout), hdc in next 14 (16, 17, 18) sts, hdc2tog over next 2 sts; turn, leaving remaining sts unworked – 16 (18, 19, 20) sts. Continue in established cable pattern over 16 (18, 19, 20) sts for 3” (7.5 cm) from beginning of Shape Neck. Fasten off.

BACK

Row 1: With right side facing, join yarn in first hdc to the left of Right Front, work in

established pattern over next 44 (47, 50, 53) sts; turn, leaving remaining sts unworked. Continue in pattern until Back measures same as finished Right Front.

LEFT FRONT

Row 1: With right side facing, join yarn in first hdc to the left of Back, ch 1 (2, 2, 2), hdc in next 0 (0, 1, 2) st, work Cable Row 1, hdc in next 0 (1, 1, 2) st, dc in blo of next 10 (10, 12, 12) sts, hdc in blo of next st; turn – 28 (30, 33, 34) sts.

Rows 2-9 (2-9, 2-11, 2-11): Work even in established pattern.

Shape Neck

Next Row: Ch 1, slip st in flo of first 11 (11, 13, 13) sts, hdc2tog over next 2 sts, hdc in next 15 (17, 18, 19) sts; turn – 16 (18, 19, 20) sts not counting slip sts.

Continue in established cable pattern over first 16 (18, 19, 20) sts for 3” (7.5 cm) from beginning of Shape Neck. Fasten off.

SLEEVES (make 2)

Ribbing

With larger hook, ch 5.

Row 1 (right side): Slip st in 2nd ch from hook and in each ch across; turn – 4 slip sts.

Row 2: Ch 3, dc in blo of next 2 sts, hdc in blo of next st; turn. Mark this as the right side.

Row 3: Ch 1, slip st in flo of each st across; turn – 4 slip sts.

Repeat Rows 2-3 until Ribbing measures 11 (11½, 12, 12½)” (28 [29, 30.5, 31.5] cm) from beginning. Do not fasten off.

Sleeve Body

Rotate to work across long edge of Ribbing.

Row 1: Ch 2, work 38 (38, 44, 44) hdc evenly spaced across long edge of Ribbing; turn – 39 (39, 45, 45) hdc.

Continued...



Please Note: Print this pattern using Landscape Orientation.

Find more ideas & inspiration: www.redheart.com and www.crochettoday.com

©2013 Coats & Clark

RedHeart.com

Page 2 of 3

Row 2: Ch 2, hdc in each st across, turn. Repeat Row 2 until Sleeve measures 3½ (4, 4½, 5) (9 [10, 11.5, 12.5] cm) from top of Ribbing.

Edging

With right side of Sleeve facing, using afghan hook, pick up 35 (37, 39, 41) loops across opposite side of side of Ribbing. Work even in Tss for 3 rows. Bind off.

FINISHING

Sew Fronts to Back across shoulder. Sew side and sleeve seams. Sew front panel extensions to bottom ribbing. Sew buttons to Left Front opposite buttonholes.

Neckband

With right side of Sweater facing, using afghan hook, pick up loops around neck edge, about one loop per st. Work even in Tss for 3 rows. Bind off. Weave in ends.

LEG WARMERS (make 2)

With larger hook, ch 35 (41, 48, 55).

Row 1: With smaller hook, sc in 2nd ch from hook and in each of next 6 ch, place marker, with larger hook, hdc in each of next 19 (24, 30, 36) ch, place marker, sc in each of last 8 (9, 10, 11); turn – 34 (40, 47, 54) sts. Move markers up as work progresses.

Row 2: Ch 1, sc in blo of first 8 (9, 10, 11) sts, hdc in each of next 19 (24, 30, 36) sts, with smaller hook, sc in blo of last 7 sts; turn.

Row 3: Ch 1, sc in blo of first 7 sts, with larger hook 19 (24, 30, 36) hdc, 8 (9, 10, 11) sc blo. Turn.

Repeat Rows 2-3 until Legging measures 8 ¾ (9½, 10½, 11) (22 [24, 26.5, 28] cm) ending with Row 2 of pattern.


Fold first row to back of work and attach as follows: with smaller hook, ch 1, working through double thickness, *sc in blo of next sc in last row and in corresponding ch of foundation ch; repeat from * 6 times; with larger hook, slip st in each of next 19 (24, 30, 36) hdc and in corresponding ch sts of foundation ch; sc in blo of each of last 8 (9, 10, 11) sc and corresponding ch sts of foundation ch. Fasten off. Weave in ends.

ABBREVIATIONS




ch = chain; **blo** = back loop only; **dc** = double crochet; **flo** = front loop only; **hdc** = half double crochet; **mm** = millimeters; **sc** = single crochet; **st(s)** = stitch(es); **Tss** = Tunisian simple stitch; **[]** = work directions in brackets the number of times specified; * **or **** = repeat whatever follows the * or ** as indicated.



For knit version, see LW3597



- CHART KEY**
- = hdc
 - = FPtr in indicated st 2 rows below and to the left
 - = FPtr in indicated st 2 rows below and to the right



Please Note: Print this pattern using Landscape Orientation.

Find more ideas & inspiration: www.redheart.com and www.crochettoday.com